MAZDA MX-5 MIATA


zoom-zoom















Far Left: Switching gears. A slick-shifting 5-speed manual is standard, and a 6-speed manual is available (LS only). As you would expect of both gearboxes, the throws are exceptionally short and sure.

Left: Connect the corners. The double-wishbone suspension, front and rear, provides more precise control of wheel alignment than most of the strut-type designs commonly found in some other sports cars. The result? Excellent road-holding in corners.

In addition to heart and soul, you'll also find real backbone.

While the Mazda MX-5 Miata is a dream to drive, there's a ton of tangible engineering behind all of the exhilarating performance. Of course, our engineers had a definite advantage. Instead of having to utilize the camouflaged underpinnings of a car already in production, the MX-5 Miata design team was able to engineer a purpose-built sports car from the ground up. So its body is rigid and strong without any extra reinforcements. Its rear-wheel drive and ideal 50/50 weight distribution deliver the agility and lightning-quick response of a classic sports car. In short, each and every component plays a purposeful part in creating the heart, soul and body of a pure sports car.











VOL 10SCV 20SCA 3FFT 4PROG 5 € 6 ► TUNE

Chrome fuel-filler door.

This stylish accessory adds a chrome accented race-car touch to your MX-5 Miata.

Front air dam

Side sill kit Front and rear mud guards

Headlamp and tail lamp bezels

Front mask Detachable hardtop

Chrome deck-lid rack

Stainless steel scuff plate

Cargo net

Compass and outside temperature auto-dimming mirror

Perimeter shock sensor alarm


Wood-tone dash kit

Wood gearshift knob; wood parking-brake handle


Car cover; car cover cable lock

Wheel locks

Engine block heater Touch-up paint



It's easy to upgrade the factory audio system with a CD changer, cassette player or MiniDisc player.





Specifications and Features

MECHANICAL FEATURES	Miata	Miata L
■ 1.8L DOHC 16-valve 4-cylinder engine with variable valve timing	S	S
■ 5-speed manual overdrive transmission with short-throw shifter	S	S
■ Tochigi-Fuji torque-sensing limited-slip differential (manual transmission only)	O/P	S
Power-assisted rack-and-pinion steering with engine-speed-sensing variable assist	S	S
Power-assisted 4-wheel disc brakes	S	S
■ 4-wheel double-wishbone suspension with gas-filled shock absorbers,	S	S
front shock-tower brace, and front and rear stabilizer bars		
Sport-tuned exhaust system	S	S
EXTERIOR FEATURES	Miata	Miata L
■ 16-inch alloy wheels with wheel locks	S	S
P205/45R16 W-rated high-performance radial tires	S	S
■ Black vinyl convertible top with vinyl boot cover	S	_
Black or Parchment cloth convertible top with vinyl boot cover	_	S
■ Glass rear window with defogger	S	S
Dual body-color power remote mirrors	S	S
2-speed intermittent windshield wipers	S	S
Power antenna	S	S
Clear-lens halogen headlights with projector-type low beams	S	S
Clear-lens halogen fog lights	S	S
INTERIOR FEATURES	Miata	Miata L
■ 2nd-generation dual front air bags with passenger-side deactivation switch*	S	S
3-point lap/shoulder safety belts with pretensioners	S	S
panis apparent and a second and	-	
Reclining bucket seats	S	S
	S S	<u>S</u>
Reclining bucket seats	\$ \$ —	\$ \$
Reclining bucket seats Black cloth upholstery	\$ \$ — \$	\$ - \$ \$
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery	\$ \$ - \$ \$	\$ - \$ \$ \$
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats ■ Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets	\$ - S S	S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats ■ Windblocker™ antidraft panel with integral storage pouch	\$ - \$ \$ \$	S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers	S S S S	S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature	\$ - \$ \$ \$	S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking	S S S S	S S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system	S S S S	S S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery† Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature	S S S S	S S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror	S S S S P P S S	S S S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery† Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature gauge and oil-pressure indicator Aluminum-like interior trim, including air-vent bezels; center panel;	S S S S P P S S	S S S S S S
Black cloth upholstery Black or Parchment leather-trimmed upholstery [†] Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature gauge and oil-pressure indicator Aluminum-like interior trim, including air-vent bezels; center panel; door handles; shift-plate bezel, and parking-brake button	S S S S P P S S	S S S S
Reclining bucket seats Black cloth upholstery Black or Parchment leather-trimmed upholstery† Carpet floor mats Windblocker antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature gauge and oil-pressure indicator Aluminum-like interior trim, including air-vent bezels; center panel; door handles; shift-plate bezel, and parking-brake button 3-spoke NARDI® leather-wrapped steering wheel Cruise control	S S S S S S S	S S S
Black cloth upholstery Black or Parchment leather-trimmed upholstery Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature gauge and oil-pressure indicator Aluminum-like interior trim, including air-vent bezels; center panel; door handles; shift-plate bezel, and parking-brake button 3-spoke NARDI® leather-wrapped steering wheel Cruise control Heater/defroster with 4-speed blower and side-window demisters	S S S S S S S	S S S
Black cloth upholstery Black or Parchment leather-trimmed upholstery Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature gauge and oil-pressure indicator Aluminum-like interior trim, including air-vent bezels; center panel; door handles; shift-plate bezel, and parking-brake button 3-spoke NARDI® leather-wrapped steering wheel Cruise control Heater/defroster with 4-speed blower and side-window demisters CFC-free air conditioning	S S S S S S S	S S S
Black cloth upholstery Black or Parchment leather-trimmed upholstery Carpet floor mats Windblocker™ antidraft panel with integral storage pouch Lockable center console storage and glove compartment; map pockets on doors and passenger's seatback; dual cup holders with covers Power windows with driver's 1-touch-down feature Power door locks with 2-stage unlocking Remote keyless entry system Remote trunk-lid and fuel-door releases Courtesy light on windshield header; passenger's visor vanity mirror Full instrumentation, including tachometer, coolant-temperature gauge and oil-pressure indicator Aluminum-like interior trim, including air-vent bezels; center panel; door handles; shift-plate bezel, and parking-brake button 3-spoke NARDI® leather-wrapped steering wheel Cruise control Heater/defroster with 4-speed blower and side-window demisters	S S S S S S S	S S S S

S: Standard O: Optional P: Package A: Dealer-installed accessory —: Not available * Always wear your safety belt and deactivate passenger-side air bag when using a rear-facing child safety seat. † Seating surfaces upholstered in leather except for leather-look vinyl on seat side panels, rear sides of seatback and other minor areas.

OPTIONS AND OPTION PAC	KAGES	•	Miata	Miata
■ Suspension Package-Miata (manual with Bilstein® shock absorbers; Tochigi-Fuji			0	_
Suspension Package-Miata LS (requires Sport suspension with Bilstein® shock absor	_	0		
Appearance Package 1: Large front air da	m, side sill extensions	and rear mud guards	O/A	O/A
Appearance Package 2: Small side sill ex	tensions and rear mu	d guards	O/A	O/A
Convenience Package: Door-mounted tweeters; power door locks; remote keyless entry system; cruise control			0	S
Club Sport Package—Miata: Suspension Package plus special factory-tuned suspension; deleted audio, a/c, power steering and Windblocker™; available as hardtop without soft top or soft top only; special order only, see dealer for details				_
■ 6-speed manual overdrive transmission wit	th leather-wrapped NA	ARDI® gearshift knob	_	0
4-speed automatic overdrive transmission (N	Miata LS requires ABS)	0	0
■ Anti-lock Brake System (ABS)			_	0
■ Tochigi-Fuji torque-sensing limited-slip di	fferential (manual tra	nsmission only)	O/P	S
Front and rear mud guards	,	,,,	O/A	O/A
Detachable hardtop with rear window defor	nner		O/A	O/A
Rear spoiler	130.		0/A	0/A
Chrome fuel-filler door				
			0/A	O/A
In-dash 6-disc CD changer			0/A	0/A
Cassette player			0/A	0/A
Perimeter shock sensor alarm			O/A	O/A
Headlamp and tail lamp bezels			O/A	O/A
Cargo net			O/A	O/A
Compass and outside temperature auto-dim	ming mirror		O/A	O/A
SPECIFICATIONS Engine size and type	1.81. A-cylinder: i	ron block with light-s	llov cylindar	hood
Engine size and type	•	ron block with light-a		
Engine size and type Valve gear	•	ve with variable intak		
Engine size and type Valve gear Horsepower, SAE Net	•	ve with variable intak 142 @ 7000 rpm		
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm	e-valve timir	
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0	e-valve timir	ng
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system	DOHC 16-val 3. Distributorless ele	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elect	e-valve timir 0:1 tronic fuel in	ng jection
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected	e-valve timir 0:1 tronic fuel in ded gasoline	jection
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa	jection
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic)	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa	jection
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28 2443/2454/2485 lb	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa	jection
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic)	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28 2443/2454/2485 lb 15.0:1/2.7	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa	jection e atic)
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28 2443/2454/2485 lb 15.0:1/2.7 30.2 feet	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa nch solid rea	jection e atic) r discs
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28 2443/2454/2485 lb 15.0:1/2.7 30.2 feet sed front discs; 10.9-in	e-valve timir o:1 tronic fuel in ded gasoline hwy (automa nch solid rea	jection e atic) r discs
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28 2443/2454/2485 lb 15.0:1/2.7 30.2 feet ed front discs; 10.9-in	e-valve timir o:1 tronic fuel in ded gasoline hwy (automa nch solid rea 2.4	jection atic) r discs
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear	DOHC 16-val	ve with variable intak 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport elected allons/premium unlead (manual); 22 city/28 2443/2454/2485 lb 15.0:1/2.7 30.2 feet red front discs; 10.9-index 6-speed manual 3.760	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1:4	jection eatic) r discs
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330 1.000	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1:4 1:0	jection eatic) r discs automat
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	e-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1:4 1:0	jection eatic) r discs automat 150 150
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear 6th gear	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 5-speed manual 3.136 1.888 1.330 1.000 0.814 —	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	ce-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1.4 1.0 0.7	jection eatic) r discs automat 450 450 000 730
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear	DOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330 1.000	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	ce-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1.4 1.0 0.7	jection atic) r discs automat
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear 6th gear Final drive	JOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330 1.000 0.814 — 4.300	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	ce-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1.4 1.0 0.7	jection eatic) r discs automat 450 450 000 730
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear 6th gear Final drive DIMENSIONS AND CAPACIT Wheelbase/overall length	JOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330 1.000 0.814 — 4.300	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	ce-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1.4 1.0 0.7	jection eatic) r discs automat 450 450 000 730
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear 6th gear Final drive DIMENSIONS AND CAPACIT Wheelbase/overall length Overall width/height	JOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330 1.000 0.814 — 4.300	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	ce-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1.4 1.0 0.7	jection eatic) r discs automat 450 450 000 730
Engine size and type Valve gear Horsepower, SAE Net Torque, SAE Net lb-ft Bore and stroke/compression ratio Ignition system/fuel system Fuel capacity/recommended fuel EPA estimated fuel economy, mpg Curb weight (5-speed/6-speed/automatic) Steering ratio/turns, lock-to-lock Turning circle, curb-to-curb Brakes TRANSMISSION RATIOS 1st gear 2nd gear 3rd gear 4th gear 5th gear 6th gear Final drive DIMENSIONS AND CAPACIT Wheelbase/overall length	JOHC 16-val 3. Distributorless ele 12.7 U.S. ga 23 city/28 hwy 10.6-inch ventilat 3.136 1.888 1.330 1.000 0.814 — 4.300	ve with variable intake 142 @ 7000 rpm 125 @ 5000 rpm 27 x 3.35 inches/10.0 ctronic/multiport electronic/multiport	ce-valve timir 0:1 tronic fuel in ded gasoline hwy (automa 1.4 1.0 0.7	jection etic) r discs automati

Exterior Colors and Upholstery

BRILLIANT BLACK



MIDNIGHT BLUE MICA

Mazda MX-5 Miata LS

Black Leather

Black Cloth

Parchment Leather







Mazda MX-5 Miata LS
 Black Leather, Parchment Leather

SPLASH GREEN MICA

Mazda MX-5 Miata LS

 Mazda MX-5 Miata LS
 Mazda MX-5 Miata w/Club Sport Pkg Black Cloth



CLASSIC RED

 Mazda MX-5 Miata Mazda MX-5 Miata LS Mazda MX-5 Miata w/Club Sport Pkg

Black Cloth

Black Cloth Black Leather

Black Cloth

Mazda MX-5 Miata



EMERALD MICA

Mazda MX-5 Miata LS



GARNET RED MICA

Mazda MX-5 Miata

 Mazda MX-5 Miata LS Parchment Leather



SUNLIGHT SILVER METALLIC


 Mazda MX-5 Miata Mazda MX-5 Miata LS Black Leather, Parchment Leather

www.MazdaUSA.com

Wherever you see this symbol, you can get the whole story on our interactive Web site.

PRODUCT CHANGES AND OPTIONS AVAILABILITY: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

INTERIOR FABRICS





BLACK CLOTH Miata



An Exciting Past.

An Exhilarating Future.

Innovative. Stylish. Fun-to-drive. For more than 40 years, Mazda has dedicated itself to engineering vehicles for drivers who truly savor the "emotion of motion." That fun-to-drive, connected-to-the-road feeling that can turn a simple drive into an exhilarating experience. Which is why you'll find the "soul of a sports car" in every vehicle we make. From the MX-5 Miata and Protegé5 to Tribute and MPV, Mazdas don't look like—or drive like—anything else on the road. There's a Zoom-Zoom factor in their DNA—part engineering, part spirit. We invite you to share the Mazda spirit with us. You'll definitely find yourself in good company.



A More Liberating Approach To Owner Peace Of Mind.

To ensure your new Mazda continues to be a source of pride and exhilarating performance for years to come, we created the Mazda Driver's Assurance Plan. It starts the minute you pick up the keys to your new Mazda. And it protects your new vehicle with a 36-month/50,000-mile "Bumper-to-Bumper" Limited Warranty. While under warranty, you're also automatically enrolled in our 24-hour Emergency Roadside Assistance program to help minimize any inconvenience if an unexpected problem should occur on the road. Equally important, should your Mazda ever require a warranty repair, the Mazda Service Transportation Solution can typically make sure you have another vehicle to drive. With the Mazda Driver's Assurance Plan, your time and satisfaction come first. And the welcomed results are an exceptional level of customer care and greater peace of mind. For complete details, see your Mazda dealer.

